Has about 5 years experience working in commissioning field.

PERSONAL DATA

Nationality	:	Egyptian
Gender	:	Male
Residence	:	Tanta

CHRONOLOGICAL EXPERIENCE RECORD

Dates Employer Project Job title	:::::::::::::::::::::::::::::::::::::::	From Jul. 2021 till now Elsewedy Electric (PSP) Nuweibaa SWRO Desalination Plant Electrical Commissioning Technician
Dates Employer Project Job title	::	From Apr. 2020 till May 2021 Elsewedy Electric (PSP) ELCO STEEL 220/33KV 2x250 MVA Electrical Commissioning Technician
Dates Employer Project Job title	::	From Oct. 2017 till Mar. 2020 Elsewedy Electric (PSP) South Helwan Supercritical Power Plant 3x650MW (CP-117) Electrical Commissioning Technician
Field of experience	:	 Perform all the tests for motors (Insulation resistance, rotation check). Perform tests for current transformers (insulation resistance, turns ratio, Polarity checking, DC resistance, Excitation curve). Perform all the tests needed in GIS (400KV, 220KV, 132KV) (Breaker timin contact resistance, Hi-pot test). Perform all the modifications needed. Perform all the tests for voltage transformers (insulation resistance, turns ratio Polarity checking, DC resistance). Perform all the tests for NV switchgear (insulation test, Hi-pot test, and sta and commissioning of the system). Perform wire check and interface connection for all system. Medium and High voltage cables testing (insulation resistance & Hi-pot and VLF). Perform all the tests for power transformers (Insulation Resistance – Turns Ratio – DC Windings Resistance – Tan delta – Oil Break down test – interface with other systems). DC and UPS system (charging batteries and start-up).

- Equipment & Tester used:
 - OMICRON CT analyzer.
 - OMICRON CPC 100.
 - MEGGER delta 4000.
 - ISA 3000T.
 - Ray tech turns ratio and vector group for TR.
 - Ray tech dc resistance for TR.
 - AC/DC Hi-pot tester.
 - Oil breakdown tester.
 - Earth resistance tester.
 - Insulation resistance tester.
 - Contact resistance tester.